PLAN SHOWING SHOWING THE PROPOSED DRAFT RESIDENTIAL OPEN PLOTTED LAYOUT IN SY NOS. 10/PART & 13/PART, SITUATED AT BURGULA VILLAGE, FAROOQNAGAR MANDAL, RANGAREDDY DISTRICT.

BELONGING TO :-

1) M/S. REALITY PROPERTY DEVELOPERS REP BY

SRI. ABDUL KAREEM KHAN, S/o. MOHAMMED KHAN.

2) SMT. INAVOLU VENKATA SATYA SAILA, W/o. KOKA VENUGOPAL

Site Plan
(Scale 1:400)



Location Plan
(Not to Scale)



Key Plan
(Not to Scale)



Contour Plan
(Not to Scale)

1. The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked U/s 450 of HMC Act 1955.

2. If construction is not commenced within 6 months, building application shall be submitted afresh duly paying required fees.

3. Sanctioned Plan shall be followed strictly while making the construction.

4. Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view.

5. Commencement Notice shall be submitted by the applicant before commencement of the building U/s 446 of HMC Act.

6. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act.

7. Occupancy Certificate is compulsory before occupying any building.

8. Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.

9. Prior Approval should be obtained separately for any modification in the construction.

10. Tree Plantation shall be done along the periphery and also in front of the premises.

11. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate.

12. Rain Water Harvesting Structure (percolation pit) shall be constructed.

13. Space for Transformer shall be provided in the site keeping the safety of the residents in view.

14. Garbage House shall be made within the premises.

15. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or misused for other purpose at any time in future as per undertaking submitted.

16. No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future.

17. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost without claiming any compensation at any time as per the undertaking submitted.

18. Strip of greenery on periphery of the site shall be maintained as per rules.

19. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended.

20. The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976.

21. The Developer / Builder / Owner to provide service road wherever required with specified size as per site conditions.

22. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension electrical line shall be maintained.

23. No front compound wall for the site abutting 18 mt. road width& shall be allowed and only Iron grill or Low height greenery hedge shall be allowed.

24. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.

25. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of 2015.

26. The mortgaged built-up area shall be allowed for registration only after an Occupancy Certificate is produced.

27. The Registration authority shall register only the permitted built-up area as per sanctioned plan.

28. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned plan.

29. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel.

30. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the GHMC.

31. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).

32. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable),

33. The construction shall be done by the owner, only in accordance with sanctioned Plan duly by engaging Architect, Structural Engineer and Site Engineer instead of site engineer failing which the violations are liable for demolition besides legal action.

34. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.

35. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O.

36. The Owner / Builder should not deliver the possession of any part of built up area of the building to the purchasers / occupants without obtaining Occupancy certificate from GHMC after providing all the regular service connections to each portion of the building and duly submitting the following.

37. Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.

38. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.

39. An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.

40. Insurance Policy for the completed building for a minimum period of three years.

41. Structural Safety and Means of Escape Safety Requirements shall be the responsibility of Owner/Builder/Architect/Structural Engineer. Owner/Builder to provide all necessary Fire Fighting Installation as stipulated in National Building Code of India, 2016.

42. Occupancy FIRE NOC Shall be Obtained from Director (EV&DM) before issue of Occupancy Certificate.

43. In respect of All Non Residential Buildings and Residential Building in plot of 500 Sq.mts / 600 Sq.Yds and above, the Applicant shall comply with the provision of Telangana State Cool Roof Policy 2023-2028 and the same is mandatory for issuance of Occupancy Certificate.

44. A dual piping system is a type of plumbing system where two separate sets of pipes are employed to transmit water in a building. One set of pipes carries potable or drinking water, while the other set of pipes carries non-potable or reclaimed water. The potable water pipes are connected to the main water supply and distribute water for drinking, cooking, and bathing. The non-potable or reclaimed water pipes carry water that has been treated and recycled from sources like rainwater, greywater from sinks and showers, or treated wastewater.

45. Parking places in buildings shall be provided with Electric Vehicle Charging infrastructure as per Central Electricity Authority (CEA) Technical Requirements for Connection of Distributed Generation Sources, CEA Measures of Safety Regulations, 2010 and Ministry of Power Consolidated Guidelines and Standards for EV Charging Infrastructure, as amended from time to time.

46. For Constructions over 10,000 Sq.mt and above and in case of Group Housing Buildings where there are 100 units and above, the plumbing arrangement shall be made in a way that the potable water shall be used for drinking, cooking and bathing only and for rest of the uses, provision for dual piping system shall be made.

47. In Group Housing/Residential Buildings, the property demarcate sections within buildings and on roofs for housing telecommunications and electricity infrastructure / antenna. These areas should have access to power supply for reliable, always on services. Further, Computer Telephony integration (CTI) of a building shall include the common duct to access the common space used as telecomm room inside the building.

48. Occupancy Certificate to a building shall be granted only after ensuring that the CTI as per the prescribed standards is in place and an undertaking is given by the Architect or Engineer certifying that the building is ready/capable to provide all digital infrastructure to all Service providers in accordance with plan of creation of CTI.

49. The Owner / Developers shall ensure the safety of construction workers.

50. The GHMC reserve the right to cancel the permission it is falls that the permission is obtained by framed misrepresentation OR by mistake of fact.

51. The Builder/Developer shall register the project in the RERA website for the plots above 500 Sq.Mtrs or more than 8 Dwelling units.

General Details

Authority	HMDA
Application ID	fcb17564-bb0c-42be-8aba-1fe056c7e1b1
Project Type	Layout With Open Plots
Case Type	New
Layout Category	Draft Layout
LTP Name	GS SREEDEVI
License No	CA/2009/46164

Color Index

Plot Boundary	
Main Abutting Road	
Other Abutting Road	
Road Widening Area	
Proposed Construction	
Existing Building	
Permitted Building	

Plot Details

Site Category	
Site Location	Extended Area of Erstwhile HUDA (HMDA)
Plot Use	
Plot Subuse	
Special Building Type	
Existing Road Width (m)	9.0
Proposed Road Width (m)	30.0
Plot Width (m)	161.58
Plot Depth (m)	334.18

Area Summary

Total Layout Area (sq.m)	36209.27
Water Bodies Area (sq.m)	0
Leftover Owners Land Area (sq.m)	0
Road Widening Area (sq.m)	1130.21
Nala Widening Area (sq.m)	0
Net Layout Area (sq.m)	37079.06
Future Development Area (sq.m)	0

Land Analysis

Plotted Area (sq.m)	22603.84	60.96 %
Road Area (sq.m)	10552.59	28.46 %
Open Space Area (sq.m)	2800.05	7.55 %
Buffer Area (sq.m)	0.00	0 %
Social Infrastructure Area (sq.m)	949.77	2.56 %
Common Parking Area (sq.m)	0.00	0 %
Utility Area (sq.m)	174.36	0.47 %
Facilities Area (sq.m)	0.00	0 %
Amenities Area (sq.m)	0.00	0 %
Green Belt Area (sq.m)	0.00	0 %
Total Layout Area (sq.m)	37079.06	100 %

Individual Plot Area

Plot No	Road Width (m)	Plot Area (sq.m)		Plot Width (m)	
		Required	Proposed	Required	Proposed
1 (861947388)	30.0	125.00	220.85	9.00	14.33
2 (861947475)	30.0	125.00	158.46	9.00	9.15
3 (861947562)	30.0	125.00	160.67	9.00	9.15
4 (861947650)	30.0	125.00	163.97	9.00	9.17
5 (861947737)	30.0	125.00	172.14	9.00	9.19
6 (861947823)	12.19	125.00	306.44	9.00	20.90
7 (861947870)	12.19	125.00	498.94	9.00	22.18
8 (861803620)	9.14	125.00	197.20	9.00	17.35
9 (861803623)	9.14	125.00	209.14	9.00	15.24
10 (861803628)	9.14	125.00	209.14	9.00	15.24
11 (861803630)	9.14	125.00	125.45	9.00	9.14
12 (861803634)	9.14	125.00	125.45	9.00	9.14
13 (861803638)	9.14	125.00	125.45	9.00	9.14
14 (861803642)	9.14	125.00	125.45	9.00	9.14
15 (861803647)	9.14	125.00	150.26	9.00	9.84
16 (861803651)	9.14	125.00	223.50	9.00	17.44
17 (861803656)	9.14	125.00	125.45	9.00	9.14
18 (861803659)	9.14	125.00	125.45	9.00	9.14
19 (861803663)	9.14	125.00	125.45	9.00	9.14
20 (861803666)	9.14	125.00	209.14	9.00	15.24
21 (861803669)	9.14	125.00	209.14	9.00	15.24
22 (861803673)	9.14	125.00	125.45	9.00	9.14
23 (861803677)	9.14	125.00	207.67	9.00	12.16
24 (861803682)	9.14	125.00	163.77	9.00	14.91
25 (861803687)	9.14	125.00	125.45	9.00	9.14
26 (861803692)	9.14	125.00	125.45	9.00	9.14
27 (861803696)	9.14	125.00	209.14	9.00	15.24
28 (861803700)	9.14	125.00	209.14	9.00	15.24
29 (861803705)	9.14	125.00	125.45	9.00	9.14
30 (861803710)	9.14	125.00	125.45	9.00	9.14
31 (861803715)	9.14	125.00	125.45	9.00	9.14
32 (861803720)	9.14	125.00	191.88	9.00	12.83
33 (861803725)	9.14	125.00	131.38	9.00	10.99
34 (861803730)	9.14	125.00	125.45	9.00	9.14
35 (861803735)	9.14	125.00	125.45	9.00	9.14
36 (861803740)	9.14	125.00	125.45	9.00	9.14
37 (861803744)	9.14	125.00	209.14	9.00	15.24
38 (861803748)	9.14	125.00	209.14	9.00	15.24
39 (861803753)	9.14	125.00	125.45	9.00	9.14
40 (861803758)	9.14	125.00	125.45	9.00	9.14
41 (861803763)	9.14	125.00	125.45	9.00	9.14
42 (861803768)	9.14	125.00	174.24	9.00	9.73

OFFICER'S NAME AND SIGNATURE

Designation: Chief Planning Officer
Approved Date: 11/03/2026

LTP'S NAME AND SIGNATURE

LTP Name: GS SREEDEVI
LTP Licence Number: CA/2009/46164

PLAN SHOWING SHOWING THE PROPOSED DRAFT RESIDENTIAL OPEN PLOTTED LAYOUT IN SY NOS. 10/PART & 13/PART, SITUATED AT BURGULA VILLAGE, FAROOQNAGAR MANDAL, RANGAREDDY DISTRICT.

BELONGING TO :-

1) M/S. REALITY PROPERTY DEVELOPERS REP BY

SRI. ABDUL KAREEM KHAN, S/o. MOHAMMED KHAN.

2) SMT. INAVOLU VENKATA SATYA SAILA, W/o. KOKA VENUGOPAL

Site Plan
(Scale 1:400)



Location Plan
(Not to Scale)



Key Plan
(Not to Scale)



Contour Plan
(Not to Scale)

1. The permission accorded does not confer any ownership rights. At a later stage if it is found that the documents are false and fabricated the permission will be revoked U/s 450 of HMC Act 1955.
2. If construction is not commenced within 6 months, building application shall be submitted afresh duly paying required fees.
3. Sanctioned Plan shall be followed strictly while making the construction.
4. Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view.
5. Commencement Notice shall be submitted by the applicant before commencement of the building U/s 446 of HMC Act.
6. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act.
7. Occupancy Certificate is compulsory before occupying any building.
8. Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.
9. Prior Approval should be obtained separately for any modification in the construction.
10. Tree Plantation shall be done along the periphery and also in front of the premises.
11. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate.
12. Rain Water Harvesting Structure (percolation pit) shall be constructed.
13. Space for Transformer shall be provided in the site keeping the safety of the residents in view.
14. Garbage House shall be made within the premises.
15. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per undertaking submitted.
16. No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future.
17. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost without claiming any compensation at any time as per the undertaking submitted.
18. Strip of greenery on periphery of the site shall be maintained as per rules.
19. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended.
20. The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976.
21. The Developer / Builder / Owner to provide service road wherever required with specified width as per site conditions.
22. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension electrical line shall be maintained.
23. No front compound wall for the site abutting 18 mt. road width& shall be allowed and only Iron grill or Low height greenery hedge shall be allowed.
24. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.
25. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of 2016.
26. The mortgaged built-up area shall be allowed for registration only after an Occupancy Certificate is produced.
27. The Registration authority shall register only the permitted built-up area as per sanctioned plan.
28. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned plan.
29. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel.
30. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the GHMC.
31. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).
32. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable),
33. The construction shall be done by the owner, only in accordance with sanctioned Plan duly supervised by Architect & Structural Engineer. Deviations of Architect or late engineer falling which the violations are liable for demolition besides legal action.
34. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.
35. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O.
36. The Owner / Builder should not deliver the possession of any part of built up area of the building to the purchasers / occupants before obtaining Occupancy certificate from GHMC after providing all the regular service connections to each portion of the building and duly submitting the following.
37. Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.
38. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.
39. An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.
40. Insurance Policy for the completed building for a minimum period of three years.
41. Structural Safety and Means of Escape Safety Requirements shall be the responsibility of Owner/Builder/Architect/Structural Engineer. Owner/Builder to provide all necessary Fire Fighting Installation as stipulated in National Building Code of India, 2016.
42. Occupancy FIRE NOC Shall be Obtained from Director (EVdEM) before issue of Occupancy Certificate.
43. In respect of All Non Residential Buildings and Residential Building in plot of 500 Sq.mts / 600 Sq.Yds and above, the Applicant shall comply with the provision of Telangana State Cool Roof Policy 2023-2028 and the same is mandatory for issuance of Occupancy Certificate.
44. A dual piping system is a type of plumbing system where two separate sets of pipes are employed to transmit water in a building. One set of pipes carries potable or drinking water, while the other set of pipes carries non-potable or reclaimed water. The potable water pipes are connected to the main water supply and distribute water for drinking, cooking, and bathing. The non-potable water pipes carry water that has been treated and reused and recycled from sources like rainwater, greywater from sinks and showers, or treated wastewater.
45. Parking places in buildings shall be provided with Electric Vehicle Charging Infrastructure as per Central Electricity Authority (CEA) Technical Requirements for Connection of Distributed Generation Sources, CEA Measures of Safety Regulations, 2010 and Ministry of Power Consolidated Guidelines and Standards for EV Charging Infrastructure, as amended from time to time.
46. For Constructions over 10,000 Sq.mt and above and in case of Group Housing Buildings where there are 100 units and above, the plumbing arrangement shall be made in a way that the potable water shall be used for drinking, cooking and bathing only and for rest of the uses, provision for dual piping system shall be made.
47. In Group Housing/Residential Buildings, the property demarcate sections within buildings and on roofs for housing telecommunications broadband connectivity infrastructure / antenna. These areas should have access to power supply for reliable, always on services. Further, Computer Telephony integration (CTI) of a building shall include the common duct to access the common space used as telecomm room inside the building.
48. Occupancy Certificate to a building shall be granted only after ensuring that the CTI as per the prescribed standards is in place and an undertaking is given by the Architect or Engineer certifying that the building is pre-cabled electronically ready to all digital infrastructure to all Service providers in accordance with plan of creation of CTI.
49. The Owner / Developers shall ensure the safety of construction workers.
50. The GHMC reserve the right to cancel the permission it is falls that the permission is obtained by framed misrepresentation OR by mistake of fact.
51. The Builder/Developer shall register the project in the RERA website for the plots above 500 Sq.Mtrs or more than 8 Dwelling units.

General Details

Authority	HMDA
Application ID	fcb17584-bb0c-42be-8aba-1fe056c7e1b1
Project Type	Layout With Open Plots
Case Type	New
Layout Category	Draft Layout
LTP Name	GS SREEDEVI
License No	CA/2009/46164

Individual Plot Area (Continued)

Plot No	Road Width (m)	Plot Area (Sq.mt)		Plot Width (m)	
		Required	Proposed	Required	Proposed
43 (861883773)	9.14	125.00	130.34	9.00	12.47
44 (861883778)	9.14	125.00	125.45	9.00	9.14
45 (861883783)	9.14	125.00	125.45	9.00	9.14
46 (861883788)	9.14	125.00	125.45	9.00	9.14
47 (861883793)	9.14	125.00	125.45	9.00	9.14
48 (861883797)	9.14	125.00	209.14	9.00	15.24
49 (861883801)	9.14	125.00	209.14	9.00	15.24
50 (861883806)	9.14	125.00	125.45	9.00	9.14
51 (861883811)	9.14	125.00	125.45	9.00	9.14
52 (861883817)	9.14	125.00	218.00	9.00	14.47
53 (861883823)	9.14	125.00	153.19	9.00	12.59
54 (861883828)	9.14	125.00	125.45	9.00	9.14
55 (861883833)	9.14	125.00	125.45	9.00	9.14
56 (861883837)	9.14	125.00	209.14	9.00	15.24
57 (861883841)	9.14	125.00	209.14	9.00	15.24
58 (861883846)	9.14	125.00	125.45	9.00	9.14
59 (861883851)	9.14	125.00	125.45	9.00	9.14
60 (861883856)	9.14	125.00	125.45	9.00	9.14
61 (861883861)	9.14	125.00	125.45	9.00	9.14
62 (861883866)	9.14	125.00	266.26	9.00	16.43
63 (861947936)	9.14	125.00	222.36	9.00	19.18
64 (861883877)	9.14	125.00	125.45	9.00	9.14
65 (861883882)	9.14	125.00	125.45	9.00	9.14
66 (861883887)	9.14	125.00	125.45	9.00	9.14
67 (861883892)	9.14	125.00	125.45	9.00	9.14
68 (861883897)	9.14	125.00	125.45	9.00	9.14
69 (861883901)	9.14	125.00	209.14	9.00	15.24
70 (861883906)	9.14	125.00	209.14	9.00	15.24
71 (861883910)	9.14	125.00	125.45	9.00	9.14
72 (861883916)	9.14	125.00	228.15	9.00	14.50
73 (861883922)	9.14	125.00	131.00	9.00	11.66
74 (861883927)	9.14	125.00	125.45	9.00	9.14
75 (861883932)	9.14	125.00	209.14	9.00	15.24
76 (861883936)	9.14	125.00	209.14	9.00	15.24
77 (861883941)	9.14	125.00	125.45	9.00	9.14
78 (861883946)	9.14	125.00	125.45	9.00	9.14
79 (861883951)	9.14	125.00	125.45	9.00	9.14
80 (861883956)	9.14	125.00	125.45	9.00	9.14
81 (861883961)	9.14	125.00	125.45	9.00	9.14
82 (861883966)	9.14	125.00	125.45	9.00	9.14
83 (861948001)	9.14	125.00	152.91	9.00	10.82
84 (861948066)	9.14	125.00	161.73	9.00	12.11
85 (861883981)	9.14	125.00	125.45	9.00	9.14
86 (861883986)	9.14	125.00	125.45	9.00	9.14
87 (861883991)	9.14	125.00	125.45	9.00	9.14
88 (861883996)	9.14	125.00	125.45	9.00	9.14
89 (861884001)	9.14	125.00	125.45	9.00	9.14
90 (861884006)	9.14	125.00	125.45	9.00	9.14
91 (861884010)	9.14	125.00	209.14	9.00	15.25
92 (861884015)	9.14	125.00	209.14	9.00	15.24
93 (861884021)	9.14	125.00	199.49	9.00	12.47
94 (861884025)	9.14	125.00	314.15	9.00	24.96
95 (861884029)	9.14	125.00	209.14	9.00	15.24
96 (861884034)	9.14	125.00	125.45	9.00	9.14
97 (861884039)	9.14	125.00	125.45	9.00	9.14
98 (861884044)	9.14	125.00	125.45	9.00	9.14
99 (861884049)	9.14	125.00	125.45	9.00	9.14
100 (861884054)	9.14	125.00	125.45	9.00	9.14
101 (861884059)	9.14	125.00	125.45	9.00	9.14
102 (861948107)	9.14	125.00	176.41	9.00	12.54
103 (861948147)	9.14	125.00	185.23	9.00	13.82
104 (861884075)	9.14	125.00	125.45	9.00	9.14
105 (861884080)	9.14	125.00	125.45	9.00	9.14
106 (861884085)	9.14	125.00	125.45	9.00	9.14
107 (861884090)	9.14	125.00	125.45	9.00	9.14
108 (861884095)	9.14	125.00	125.45	9.00	9.14
109 (861884100)	9.14	125.00	125.45	9.00	9.14
110 (861884104)	9.14	125.00	209.14	9.00	15.24
111 (861884108)	9.14	125.00	258.53	9.00	16.93
112 (861884115)	9.14	125.00	200.41	9.00	14.39
113 (861884118)	9.14	125.00	209.14	9.00	15.24
114 (861884124)	9.14	125.00	125.45	9.00	9.14
115 (861884129)	9.14	125.00	125.45	9.00	9.14
116 (861884134)	9.14	125.00	125.45	9.00	9.14
117 (861884139)	9.14	125.00	125.45	9.00	9.14

OFFICER'S NAME AND SIGNATURE

Designation: Chief Planning Officer
Approved Date: 11/03/2026

LTP'S NAME AND SIGNATURE

LTP Name: GS SREEDEVI
LTP Licence Number: CA/2009/46164

PLAN SHOWING SHOWING THE PROPOSED DRAFT RESIDENTIAL OPEN PLOTTED LAYOUT IN SY NOS. 10/PART & 13/PART, SITUATED AT BURGULA VILLAGE, FAROOQNAGAR MANDAL, RANGAREDDY DISTRICT.

BELONGING TO :-

1) M/S. REALITY PROPERTY DEVELOPERS REP BY

SRI. ABDUL KAREEM KHAN, S/o. MOHAMMED KHAN.

2) SMT. INAVOLU VENKATA SATYA SAILA, W/o. KOKA VENUGOPAL

Site Plan
(Scale 1:400)



Location Plan
(Not to Scale)



Key Plan
(Not to Scale)



Contour Plan
(Not to Scale)

1. The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked U/s 450 of HMC Act 1955.
2. If construction is not commenced within 6 months, building application shall be submitted afresh duly paying required fees.
3. Sanctioned Plan shall be followed strictly while making the construction.
4. Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view.
5. Commencement Notice shall be submitted by the applicant before commencement of the building U/s 446 of HMC Act.
6. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act.
7. Occupancy Certificate is compulsory before occupying any building.
8. Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.
9. Prior Approval should be obtained separately for any modification in the construction.
10. Tree Plantation shall be done along the periphery and also in front of the premises.
11. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate.
12. Rain Water Harvesting Structure (percolation pit) shall be constructed.
13. Space for Transformer shall be provided in the site keeping the safety of the residents in view.
14. Garbage House shall be made within the premises.
15. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or utilized for any other purpose at any time in future as per undertaking submitted.
16. No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future.
17. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost without claiming any compensation at any time as per the undertaking submitted.
18. Strip of greenery on periphery of the site shall be maintained as per rules.
19. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended.
20. The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976.
21. The Developer / Builder / Owner to provide service road wherever required with specified size as per site conditions.
22. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension electrical line shall be maintained.
23. No front compound wall for the site abutting 18 mt. road width& shall be allowed and only Iron grill or Low height greenery hedge shall be allowed.
24. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.
25. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of 2015.
26. The mortgaged built-up area shall be allowed for registration only after an Occupancy Certificate is produced.
27. The Registration authority shall register only the permitted built-up area as per sanctioned plan.
28. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned plan.
29. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel.
30. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the GHMC.
31. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).
32. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable).
33. The construction shall be done by the owner, only in accordance with sanctioned Plan duly supervised by Architect, Structural Engineer and Site engineer. Failure of site engineer failing which the violations are liable for demolition besides legal action.
34. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.
35. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O.
36. The Owner / Builder should not deliver the possession of any part of built up area of the building to the purchaser or occupy the building/portion of the building without obtaining GHMC after providing all the regular service connections to each portion of the building and duly submitting the following.
37. Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.
38. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.
39. An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.
40. Insurance Policy for the completed building for a minimum period of three years.
41. Structural Safety and Means of Escape Safety Requirements shall be the responsibility of Owner/Builder/Architect/Structural Engineer. Owner/Builder shall provide necessary Fire Fighting Installation as stipulated in National Building Code of India, 2016.
42. Occupancy FIRE NOC Shall be Obtained from Director (EVdEM) before issue of Occupancy Certificate.
43. In respect of All Non Residential Buildings and Residential Building in plot of 500 Sq.mts / 600 Sq.Yds and above, the Applicant shall comply with the provision of Telangana State Cool Roof Policy 2023-2028 and the same is mandatory for issuance of Occupancy Certificate.
44. A dual piping system is a type of plumbing system where two separate sets of pipes are employed to transmit water in a building. One set of pipes carries potable or drinking water, while the other set of pipes carries non-potable or reclaimed water. The potable water pipes are connected to the main water supply and distribute water for drinking, cooking, and bathing. The non-potable water pipes carry water that has been treated and reused and recycled from sources like rainwater, greywater from sinks and showers, or treated wastewater.
45. Parking places in buildings shall be provided with Electric Vehicle Charging Infrastructure as per Central Electricity Authority (CEA) Technical Requirements for Connection of Distributed Generation Sources, CEA Measures of Safety Regulations, 2010 and Ministry of Power Consolidated Guidelines and Standards for EV Charging Infrastructure, as amended from time to time.
46. For Constructions over 10,000 Sq.mt and above and in case of Group Housing Buildings where there are 100 units and above, the plumbing arrangement shall be made in a way that the potable water shall be used for drinking, cooking and bathing only and for rest of the uses, provision for dual piping system shall be made.
47. In the Building complexes/Institutional campus/Township/ demarcate sections within buildings and on premises housing telecom shall provide adequate connectivity infrastructure / antenna. These areas should have access to power supply for reliable, always on services. Further, Computer Telephony integration (CTI) of a building shall include the common duct to access the common space used as telecomm room inside the building.
48. Occupancy Certificate to a building shall be granted only after ensuring that the CTI as per the prescribed standards is in place and an undertaking is given by the Architect or Engineer certifying that the building is connectivity ready with all digital infrastructure to all Service providers in accordance with plan of creation of CTI.
49. The Owner / Developers shall ensure the safety of construction workers.
50. The GHMC reserve the right to cancel the permission it is falls that the permission is obtained by framed misrepresentation OR by mistake of fact.
51. The Builder/Developer shall register the project in the RERA website for the plots above 500 Sq.Mtrs or more than 8 Dwelling units.

General Details

Authority	HMDA
Application ID	fcb17584-bb0c-42be-8aba-1fe056c7e1b1
Project Type	Layout With Open Plots
Case Type	New
Layout Category	Draft Layout
LTP Name	GS SREEDEVI
License No	CA/2009/46164

Individual Plot Area (Continued)

Plot No	Road Width (m)	Plot Area (Sq.mt)		Plot Width (m)	
		Required	Proposed	Required	Proposed
118 (86184144)	9.14	125.00	125.45	9.00	9.14
119 (86184149)	9.14	125.00	125.45	9.00	9.14
120 (86194187)	9.14	125.00	199.92	9.00	14.25
121 (86194027)	9.14	125.00	207.42	9.00	15.19
122 (86184174)	9.14	125.00	125.45	9.00	9.14
123 (86184179)	9.14	125.00	125.45	9.00	9.14
124 (86184184)	9.14	125.00	125.45	9.00	9.14
125 (86184189)	9.14	125.00	125.45	9.00	9.14
126 (86184194)	9.14	125.00	125.45	9.00	9.14
127 (86184199)	9.14	125.00	125.45	9.00	9.14
128 (86184203)	9.14	125.00	209.14	9.00	15.24
129 (86184207)	9.14	125.00	200.59	9.00	14.62
130 (86184213)	9.14	125.00	237.75	9.00	9.14
131 (86194840)	9.14	125.00	222.92	9.00	9.14
132 (86194816)	9.14	125.00	179.68	9.00	16.45
133 (86194823)	9.14	125.00	179.69	9.00	16.46
134 (86184226)	9.14	125.00	209.44	9.00	15.24
135 (86184231)	9.14	125.00	125.63	9.00	9.14
136 (86184236)	9.14	125.00	125.63	9.00	9.14
137 (86184241)	9.14	125.00	125.63	9.00	9.14
138 (86184246)	9.14	125.00	125.63	9.00	9.14
139 (86184251)	9.14	125.00	125.63	9.00	9.14
140 (86184256)	9.14	125.00	125.63	9.00	9.14
141 (86194287)	9.14	125.00	208.64	9.00	15.19

Mortgage Area

Mortgage Type	Mortgage Area (sq.m)	
	Required	Proposed
Mortgage	3390.58 (15 %)	3502.91 (15.50 %)
Mortgage For Fee Installments	1130.19 (5 %)	1147.08 (5.07 %)

OFFICER'S NAME AND SIGNATURE

Designation: Chief Planning Officer
Approved Date: 11/03/2026

LTP'S NAME AND SIGNATURE

LTP Name: GS SREEDEVI
LTP Licence Number: CA/2009/46164

PLAN SHOWING SHOWING THE PROPOSED DRAFT RESIDENTIAL OPEN PLOTTED LAYOUT IN SY NOS. 10/PART & 13/PART, SITUATED AT BURGULA VILLAGE, FAROOQNAGAR MANDAL, RANGAREDDY DISTRICT.

BELONGING TO :-

1) M/S. REALITY PROPERTY DEVELOPERS REP BY

SRI. ABDUL KAREEM KHAN, S/o. MOHAMMED KHAN.

2) SMT. INAVOLU VENKATA SATYA SAILA, W/o. KOKA VENUGOPAL



SECTION AT B-B





SEPTIC TANK PLAN



WATER HARVESTING PIT

(NOT TO SCALE)

Print Additional Details - 1
(Not to Scale)

1. The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked U/s 450 of HMC Act 1955.

2. If construction is not commenced within 6 months, building application shall be submitted afresh duly paying required fees.

3. Sanctioned Plan shall be followed strictly while making the construction.

4. Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view.

5. Commencement Notice shall be submitted by the applicant before commencement of the building U/s 446 of HMC Act.

6. Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act.

7. Occupancy Certificate is compulsory before occupying any building.

8. Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.

9. Prior Approval should be obtained separately for any modification in the construction.

10. Tree Plantation shall be done along the periphery and also in front of the premises.

11. Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate.

12. Rain Water Harvesting Structure (percolation pit) shall be constructed.

13. Space for Transformer shall be provided in the site keeping the safety of the residents in view.

14. Garbage House shall be made within the premises.

15. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or utilized for other purpose at any time in future as per undertaking submitted.

16. No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future.

17. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost without claiming any compensation at any time as per the undertaking submitted.

18. Strip of greenery on periphery of the site shall be maintained as per rules.

19. Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended.

20. The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976.

21. The Developer / Builder / Owner to provide service road wherever required with specified size as per site conditions.

22. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension electrical line shall be maintained.

23. No front compound wall for the site abutting 18 mt. road width/s shall be allowed and only Iron grill or Low height greenery hedge shall be allowed.

24. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.

25. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of 2016.

26. The mortgaged built-up area shall be allowed for registration only after an Occupancy Certificate is produced.

27. The Registration authority shall register only the permitted built-up area as per sanctioned plan.

28. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned plan.

29. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel.

30. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the GHMC.

31. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).

32. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable).

33. The construction shall be done by the owner, only in accordance with sanctioned Plan duly certified by Architect, Structural Engineer and Site Engineer. Deviations if any and late engineer failing which the violations are liable for demolition besides legal action.

34. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.

35. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O.

36. The Owner / Builder should not deliver the possession of any part of built up area of the building to the purchaser / occupant without obtaining Occupancy certificate from GHMC, after providing all the regular service connections to each portion of the building and duly submitting the following.

37. Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.

38. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.

39. An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.

40. Insurance Policy for the completed building for a minimum period of three years.

41. Structural Safety and Means of Escape Safety Requirements shall be the responsibility of Owner/Developer/Architect/Structural Engineer/Site Engineer and installation of necessary Fire Fighting Installation as stipulated in National Building Code of India, 2016.

42. Occupancy FIRE NOC Shall be Obtained from Director (EV&EM) before issue of Occupancy Certificate.

43. In respect of All Non Residential Buildings and Residential Building in plot of 500 Sq.mts / 600 Sq.Yds and above, the Applicant shall comply with the provision of Telangana State Cool Roof Policy 2023-2028 and the same is mandatory for issuance of Occupancy Certificate.

44. A dual piping system is a type of plumbing system where two separate sets of pipes are used to distribute water in a building. One set of pipes carries potable or drinking water, while the other set of pipes carries non-potable or reclaimed water. The potable water pipes are connected to the main water supply and distribute water for drinking, cooking, and bathing. The non-potable water pipes carry water that has been treated and reused or recycled from sources like rainwater, greywater from sinks and showers, or treated wastewater.

45. Parking places in buildings shall be provided with Electric Vehicle Charging infrastructure as per Central Electricity Authority (CEA) Technical Requirements for Connection of Distributed Generation Sources, CEA Measures of Safety Regulations, 2010 and Ministry of Power Consolidated Guidelines and Standards for EV Charging Infrastructure, as amended from time to time.

46. For Constructions over 10,000 Sq.mt and above and in case of Group Housing Buildings where there are 100 units and above, the plumbing arrangement shall be made in a way that the potable water shall be used for drinking, cooking and bathing only and for rest of the uses, provision for dual piping system shall be made.

47. Telecom Infrastructure shall be provided in the property demarcate sections within buildings and on rooftops during construction stage to accommodate telecommunication infrastructure / antenna. These areas should have access to power supply for reliable, always on services. Further, Computer Telephony integration (CTI) of a building shall include the common duct to access the common space used as telecomm room inside the building.

48. Occupancy Certificate to a building shall be granted only after ensuring that the CTI as per the prescribed standards is in place and an undertaking is given by the Architect or Engineer certifying that the building has been provisioned with all digital infrastructure to all Service providers in accordance with plan of creation of CTI.

49. The Owner / Developers shall ensure the safety of construction workers.

50. The GHMC reserve the right to cancel the permission it it falls that the permission is obtained by framed misrepresentation OR by mistake of fact.

51. The Builder/Developer shall register the project in the RERA website for the plots above 500 Sq.Mtrs or more than 8 Dwelling units.

General Details

Authority	HMDA
Application ID	fcfb17564-bb0c-42be-8abe-1fef056c7e1b1
Project Type	Layout With Open Plots
Case Type	New
Layout Category	Draft Layout
LTP Name	GS SREEDEVI
License No	CA/2009/46164

OFFICER'S NAME AND SIGNATURE
Designation: Chief Planning Officer **Approved Date:** 11/02/2026
LTP'S NAME AND SIGNATURE
LTP Name: GS SREEDEVI **LTP Licence Number:** CA/2009/46164